Investigative and Enforcement Services

Settlement Agreement

USDA, APHIS, IES 4700 River Road, Unit 85 Riverdale, MD 20737 Phone: (301) 734-8684 Fax: (301) 734-4328

RESPONDENT:					CASE NU	IMBER	NM10012-AC
1st Address			2 nd Addres	<u>ss</u>			
			ed Agent:				March 10, 2011
1 2 1 1		Robert J.	•			NTACT	
		City Atto	•	7	•		
U .1			c Plaza NW				
,			;, Room 402 rque NM 87				
Albuquerque, N	VM 87102	Albuque	ique ivivi o	/102			
Albuquerque, 1	NIVI 07102						
DATE	CITA	TION			DESCRIPTION	N	-
			ı				
				See Attach			
				Page 1	of 2		
PENALTY	\$8,286		TERMS				
Titles 7, 15, 19, opportunity for a	and 21 of th hearing, to	ie United S impose civ	states Code a	authorize the and other sa	Secretary of Agricultunctions to resolve viola	re, after tions.	providing notice and
Prior to the issuato resolve the abviolations of law	ance of a fo ove-describ have occur	rmal comp bed violation red, and se	laint seeking ons. Your pa ettlement of s	sanctions un syment const such violation	nder the Act, The Depa itutes a waiver of your ns.	artment right to	may enter into a stipulation a hearing, a finding that the
will be forwarded	d to the Office	ce of the G	eneral Coun	iseľ for litigati	e or wish to exercise your ofference of the penalty ofference of the penalty ofference of the penalty of the pe	ed in this	nt to a hearing, this matter s stipulation is not relevant al complaint.
Signature of Respondent:					Date:		
PAYMENT RECORD - FOR IES USE ONLY							
Payment Type		Date	Amount	Signature of IES Representative			

DATE	CITATION	DESCRIPTION
11/05/2008	9 CFR 3.127(d)	<u>Facilities.</u> Respondent failed to enclose all outdoor housing facilities by a perimeter fence that was of sufficient height to keep animals and unauthorized persons out. Respondent did not maintain the fence so that it could function as a secondary containment system for the animals in the facility. A large pile of logs pressing against the perimeter fence adjacent to the elephant enclosure caused the fence to sag, reducing its height.
11/05/2009	9 CFR 3.75(c)(1)(i)	<u>Housing Facilities.</u> Respondent failed to maintain surfaces coming in contact with nonhuman primates free of excessive rust that prevents the required cleaning and sanitization or affects the structural strength of the surface. Respondent failed to prevent or remove excessive rust from the shift doors of the holding area for two Siamangs.
	9 CFR 3.75(c)(1)	Housing Facilities. Respondent failed to construct the surfaces of housing facilities—including perches, shelves, swings, boxes, houses, dens, and other furniture-type fixtures or objects within the facility—in a manner and of materials that allow them to be readily cleaned. Respondent had not repaired peeling paint on the walls and floors of an off-exhibit primary enclosure for two Siamangs; broken concrete in the entrance to the off-exhibit area for orangutans; and chipped paint and damaged epoxy surfaces in the transfer corridors for gorillas and orangutans.